

Prepared for:
Frank Ferreira
Town of Pelham
6 Village Green
Pelham, NH 03076
Phone: 603-635-8526


Prepared by:
Reggie Orifice
MCDEVITT TRUCKS INC
1 MACK AVE
MANCHESTER, NH 03103
Phone: 603-621-8324

A proposal for
Town of Pelham

Prepared by
MCDEVITT TRUCKS INC
Reggie Orifice

Apr 01, 2016

Western Star 4700SF



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Q U O T A T I O N

4700 SET-FORWARD FRONT AXLE CHASSIS

SET FORWARD AXLE - TRUCK
 CUM ISL 300 HP @ 2000 RPM, 2200 GOV RPM, 860 LB/FT
 @ 1300 RPM
 ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH
 PTO PROVISION
 RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
 30,000# FLAT LEAF SPRING REAR SUSPENSION WITH
 HELPER AND RADIUS ROD
 DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP
 SINGLE FRONT AXLE

9,500# LEFT, 10,500# RIGHT MIXER/PLOW FLAT LEAF
 FRONT SUSPENSION (20,000#)
 110 INCH BBC STEEL CONVENTIONAL CAB
 4525MM (178 INCH) WHEELBASE
 7/16X3-9/16X11-1/8 INCH STEEL FRAME
 (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
 950MM (37 INCH) REAR FRAME OVERHANG
 PARTIAL INNER FRAME REINFORCEMENT AT FRONT
 SUSPENSION
 BODY COMPANY INSTALLED ADDITIONAL FRONT
 FRAME REINFORCEMENT FOR SNOW PLOW

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	94,997	\$	94,997
EXTENDED WARRANTY		\$	0	\$	0
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	94,997	\$	94,997

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(220.0)	\$	(220.0)
TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

TRADE-IN ALLOWANCE		\$	(0)	\$	(0)
BALANCE DUE	(LOCAL CURRENCY)	\$	94,777	\$	94,777

OPTIONS:

1. ALLISON AUTOMATIC TRANS 60 MONTH/UNLIMITED.....\$ 568
2. CUMMINS ISL ENG: PP1 60 MONTH/150K.....\$ 2,600
3. CUMMINS ISL ENG: AFTERTREATMENT DEVICES: 60 MO/150K.....\$ 600
4. CHASSIS BASIC & TOWING: 60 MO/200K.....\$ 5,105
5. CUMMINS ENG EXHAUST BRAKE IN LIEU OF C-BRAKE.....(-\$1,200)



Prepared for:
Frank Ferreira
Town of Pelham
6 Village Green
Pelham, NH 03076
Phone: 603-635-8526

Prepared by:
Reggie Orifice
MCDEVITT TRUCKS INC
1 MACK AVE
MANCHESTER, NH 03103
Phone: 603-621-8324

S P E C ' D A L T E R N A T I V E S

EXCEPTIONS TO BID:

INTEGRATED FEATURES OF PARK BRAKE ALARM, PRE-TRIP LIGHT, HEADLIGHT ON WITH WIPERS AND WIPERS FORCED TO SLOW. THESE OPTIONS NOT AVAILABLE DUE TO POINT TO POINT WIRING ON THE WESTERN STAR.



Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-14T	WESTERN STAR 4700 PRL-14T (EFF:10/05/15)			STD
Data Version				
DRL-022	SPECPRO21 DATA RELEASE VER 022			N/C
Vehicle Configuration				
001-450	4700 SET-FORWARD FRONT AXLE CHASSIS	9,094	6,876	\$164,240.00
004-217	2017 MODEL YEAR SPECIFIED			STD
002-003	SET FORWARD AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-002	TRUCK CONFIGURATION			STD
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-011	CONSTRUCTION SERVICE			STD
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-002	ROUGH, MAINTAINED, CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			N/C
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 41000.0 lbs			
Truck Service				
AA3-018	FRONT PLOW/END DUMP BODY			N/C
A88-99D	EXPECTED TRUCK BODY LENGTH : 10.0 ft			



Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
Engine				
101-2XE	CUM ISL 300 HP @ 2000 RPM, 2200 GOV RPM, 860 LB/FT @ 1300 RPM	-850	-70	(\$13,001.00)
Electronic Parameters				
79A-075	75 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Engine Equipment				
99C-016	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG14			N/C
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			\$106.00
PMT-998	NO 2013 ENGINE ESCALATOR			STD
13E-001	STANDARD OIL PAN			STD
105-015	OIL FILL AND DIPSTICK LOCATED FOR ENHANCED SERVICEABILITY			\$122.00
133-004	ONE PIECE VALVE COVER			STD
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		\$392.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-1D7	(3) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 2850 CCA THREADED STUD BATTERIES	-10		(\$252.00)
290-017	BATTERY BOX FRAME MOUNTED	35		\$50.00
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			N/C
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			N/C

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	8		\$253.00
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		\$86.00
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-037	C-BRAKE BY JACOBS WITH 2 SWITCHES; (1) ON/OFF, (1) LOW/MED/HIGH BRAKING	80		\$2,598.00
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			STD
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			N/C
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD			STD
273-018	HORTON DRIVEMASTER ON/OFF FAN DRIVE			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20		N/C
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			(\$10.00)
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			N/C
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	10		\$1,329.00
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4		N/C
166-002	PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER	4		N/C
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			STD
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			N/C
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-10		N/C

Transmission

342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-110	-35	\$7,242.00
---------	--	------	-----	------------

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			N/C
84B-002	ALLISON VOCATIONAL RATING FOR CONCRETE MIXER APPLICATIONS ONLY AVAILABLE WITH 3000 PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
353-061	BODY LIGHTING INTERFACE BLUNT CUT WIRING WITH FUSE PANEL WIRE MOUNTED BETWEEN DRIVER AND PASSENGER SEATS WITH ADDITIONAL 150 AMP SERVICE			\$505.00
34C-010	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR, BLUNT CUT, MOUNTED BETWEEN DRIVER AND PASSENGER SEATS			\$173.00
362-035	CUSTOMER INSTALLED CHELSEA 277 SERIES PTO			N/C
363-002	PTO MOUNTING, RH SIDE OF MAIN TRANSMISSION			N/C

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			N/C
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			N/C

Front Axle and Equipment

400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE			\$74.00
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			STD
427-001	FRONT BRAKE DUST SHIELDS	5		\$106.00
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			STD
408-002	STEMCO ALUMINUM VENTED FRONT HUB CAPS WITH WINDOW AND CENTER PLUG - OIL			\$18.00
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS			STD
406-001	STANDARD KING PIN BUSHINGS			STD
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	90		\$1,425.00
539-003	POWER STEERING PUMP			STD
534-003	4 QUART POWER STEERING RESERVOIR			N/C
533-001	OIL/AIR POWER STEERING COOLER			N/C
40T-003	SYNTHETIC 50W FRONT AXLE LUBE			STD

Front Suspension

620-043	9,500# LEFT, 10,500# RIGHT MIXER/PLOW FLAT LEAF FRONT SUSPENSION (20,000#)	60		\$217.00
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			STD

Rear Axle and Equipment

420-051	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,415	(\$8,951.00)
---------	--	--	--------	--------------

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
421-563	5.63 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			N/C
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-30	-30	(\$91.00)
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	\$727.00
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			N/C
87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DRIVER CONTROLLED TRACTION DEVICE SWITCH			\$29.00
423-033	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			\$135.00
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			\$23.00
451-023	CONMET CAST IRON REAR BRAKE DRUMS			STD
425-002	REAR BRAKE DUST SHIELDS		5	\$59.00
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS			STD
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			N/C
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			STD
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			STD

Rear Suspension

622-1DF	30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		150	(\$4,270.00)
621-001	SPRING SUSPENSION - NO AXLE SPACERS			N/C
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			N/C
623-005	FORE/AFT CONTROL RODS			N/C

Brake System

490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-083	WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER			STD



Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			STD
479-004	AIR DRYER MOUNTED OUTBOARD ON LH RAIL			STD
460-097	STEEL AIR BRAKE RESERVOIRS MOUNTED PERPENDICULAR RH UNDER CAB AND AFT AS POSSIBLE FOR REMAINING TANKS	15	5	\$402.00
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			\$23.00
Trailer Connections				
* 296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			N/C
* 297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	5	5	\$205.00
Wheelbase & Frame				
545-452	4525MM (178 INCH) WHEELBASE			N/C
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	80	150	\$518.00
547-034	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION	195	-5	\$979.00
548-803	BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW			N/C
552-140	950MM (37 INCH) REAR FRAME OVERHANG			N/C
55W-003	FRAME OVERHANG RANGE: 31 INCH TO 40 INCH	40	-160	N/C
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	135	-10	\$941.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 96.78 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 93.78 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 266.69			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 96.78 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 69.14 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 85.9 in			N/C
553-001	SQUARE END OF FRAME			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			N/C

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-110		(\$515.00)
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			STD
551-002	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS			\$285.00
Fuel Tanks				
204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH			STD
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-1G1	DAVCO 243 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND ESOC	5		\$406.00
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
221-998	NO FUEL COOLER	-10		(\$142.00)
Tires				
093-0RC	MICHELIN XZY-3 12R22.5 16 PLY RADIAL FRONT TIRES	82		\$416.00
094-0E3	MICHELIN XDS 12R22.5 16 PLY RADIAL REAR TIRES		156	\$1,368.00
Hubs				
418-056	CONMET PRESET PLUS IRON FRONT HUBS			STD
450-056	CONMET PRESET PLUS IRON REAR HUBS			STD
Wheels				
* 502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26	1	(\$194.00)
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		52	STD
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
Cab Exterior				
829-1A8	110 INCH BBC STEEL CONVENTIONAL CAB			STD
82A-023	WESTERN STAR PAINTED ALUMINUM CAB SKIRT			STD
650-044	AIR CAB MOUNTS WITH CHECK VALVE			STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-001	FRONT FENDERS			STD
678-034	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST			STD
646-008	STATIONARY BRIGHT FINISH GRILLE			STD
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			STD
640-008	GALVANEALD STEEL SEVERE SERVICE CAB			STD
644-006	FIBERGLASS HOOD WITH ACCESS HATCHES	10		\$623.00
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			STD
726-002	DUAL ELECTRIC HORNS			\$7.00
728-002	DUAL HORN SHIELDS			STD
657-1AG	DOORS AND IGNITION KEYED THE SAME			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-072	SINGLE RECTANGULAR SEALED BEAM HEADLIGHTS WITH BRIGHT BEZELS			STD
302-001	(5) AMBER MARKER LIGHTS			STD
314-823	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH SINGLE CONNECTION AT LH FORWARD			\$98.00
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1E2	DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS WITH LIGHTS AND LH AND RH REMOTE			\$428.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-1AA	LH AND RH SUREPLUS 574 8 INCH BRIGHT FINISH HEATED CONVEX MIRRORS WITH SEPARATE ADJUSTMENT, MOUNTED BELOW MIRROR			\$36.00
74A-001	RH DOWN VIEW MIRROR			STD
74B-1B4	RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	12		\$351.00
729-001	STANDARD SIDE/REAR REFLECTORS			STD



Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
787-020	ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER			\$149.00
764-001	FIBERGLASS EXTERIOR SUN VISOR	24		\$241.00
768-046	17.5X35 INCH TINTED REAR WINDOW			STD
661-006	TINTED DOOR GLASS			STD
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4		\$151.00
663-023	2-PIECE TINTED CURVED GASKET MOUNTED HEATED WINDSHIELD			\$500.00
659-025	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL			STD

Cab Interior

707-1D4	SMOKY MOUNTAIN GRAY VINYL PREMIUM INTERIOR			\$184.00
70K-005	BLACK HARD TRIM			STD
706-049	BASE LEFT HAND DOOR TRIM			STD
708-049	BASE RIGHT HAND DOOR TRIM			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-007	DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
694-009	PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR			STD
693-025	LH AND RH DOOR MAP POCKETS			STD
741-029	COAT HOOK ON RH BACKWALL OF CAB			STD
742-026	(1) CUP HOLDER MOUNTED IN BOTTOM CENTER OF DASH			\$14.00
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER			STD
320-004	STANDARD WIRING			STD
* 700-015	HEATER, DEFROSTER AND AIR CONDITIONER WITH COSMETIC COVER			STD
701-010	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-FILTER			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-019	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES			\$28.00
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			STD
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			STD

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
702-002	BINARY CONTROL, R-134A			STD
739-001	CAB INSULATION			STD
285-003	CIRCUIT FUSES			STD
* 280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			N/C
324-076	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT WITH LH AND RH DOOR MOUNTED COURTESY LIGHTS AND LH AND RH READING LIGHTS			\$61.00
655-005	LH AND RH ELECTRIC DOOR LOCKS			N/C
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT			STD
760-1DD	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT	25	10	(\$216.00)
758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER			STD
761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER			STD
763-003	3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-023	2-SPOKE 18 INCH (450MM) BLACK LEATHER WRAPPED STEERING WHEEL			\$65.00
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

185-002	NON-ADJUSTABLE SUSPENDED PEDALS			STD
870-005	STAR GAUGES WITH BRIGHT BEZELS			\$20.00
732-001	BLACK DRIVER INSTRUMENT PANEL			STD
734-001	BLACK CENTER INSTRUMENT PANEL			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$41.00
721-021	87 DB TO 112 DB SELF-ADJUSTING BACKUP ALARM		3	\$91.00
149-012	CRUISE CONTROL SWITCHES IN THE CENTER PANEL			STD

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-1AJ	DATASTAR DRIVER DISPLAY AND WARNING LAMP/LIGHT BAR DISPLAY, NON-DATA LINKED			\$237.00
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-1B0	AM/FM/WB RADIO WITH CD PLAYER, BLUETOOTH AND MICROPHONE, USB, FRONT AND REAR AUXILIARY INPUTS AND J1939	10		\$453.00
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO			N/C
750-004	(4) RADIO SPEAKERS IN CAB			N/C
753-019	AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR	2		\$29.00
748-026	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE			STD
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM			STD
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-003	ELECTRONIC 3000 RPM TACHOMETER WITH HOUR METER			\$35.00
813-998	NO VEHICLE PERFORMANCE MONITOR			(\$998.00)
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
329-1AW	SIX IGNITION CONTROLLED EXTRA SWITCHES WITH INDICATOR LIGHT, 10 AMPS, WIRED BETWEEN DRIVER AND PASSENGER SEATS			\$158.00
836-001	2 INCH VOLTMETER			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-019	CAB MARKER LIGHT AND HEADLIGHT SWITCH WITH SEPARATE SWITCH AND TERMINALS FOR CUSTOMER FURNISHED SNOW PLOW LIGHTS			\$169.00

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Data Code	Description	Weight Front	Weight Rear	Retail Price
882-018	ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR			N/C
299-037	SELF CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITH BRAKE OVERRIDE			\$96.00
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER			STD
Design				
065-000	PAINT: ONE SOLID COLOR			STD
Color				
980-5Y6	CAB COLOR A: L0762EB MED RED ELITE BC			N/C
96J-001	CAB INTERIOR PAINTED SAME AS CAB COLOR			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
976-995	SUNVISOR PAINTED SAME AS CAB COLOR A			N/C
Certification / Compliance				
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Secondary Factory Options				
999-014	DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE			N/C
Sales Programs				
NO SALES PROGRAMS HAVE BEEN SELECTED				

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$161,077.00

Weight Summary

Weight	Weight	Total
--------	--------	-------

Application Version 8.9.114
 Data Version PRL-14T.022
 Pelham SA Plow Truck



04/01/2016 12:46 PM

Page 16 of 23

Prepared for:
Frank Ferreira
Town of Pelham
6 Village Green
Pelham, NH 03076
Phone: 603-635-8526

Prepared by:
Reggie Orifice
MCDEVITT TRUCKS INC
1 MACK AVE
MANCHESTER, NH 03103
Phone: 603-621-8324

	Front	Rear	Weight
Factory Weight ⁺	8922 lbs	4708 lbs	13630 lbs
Total Weight ⁺	8922 lbs	4708 lbs	13630 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PMU-016	2016 OBD/2010 EPA/CARB/GHG14 ESCALATOR	\$300.00
RAL-17D	MODEL YEAR 2017 WST 4700 ESCALATOR - \$750	\$750.00
P73-2WS	STANDARD DESTINATION CHARGE	\$2,025.00

(+) Weights shown are estimates only.


If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

Prepared for:
Frank Ferreira
Town of Pelham
6 Village Green
Pelham, NH 03076
Phone: 603-635-8526

Prepared by:
Reggie Orifice
MCDEVITT TRUCKS INC
1 MACK AVE
MANCHESTER, NH 03103
Phone: 603-621-8324

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model..... 4700SF
Wheelbase (545) 4525MM (178 INCH) WHEELBASE
Rear Frame Overhang (552) 950MM (37 INCH) REAR FRAME OVERHANG
Fifth Wheel (578) NO FIFTH WHEEL
Mounting Location (577) NO FIFTH WHEEL LOCATION
Maximum Forward Position (in) 0
Maximum Rearward Position (in) 0
Amount of Slide Travel (in) 0
Slide Increment (in) 0
Desired Slide Position (in) 0.0
Cab Size (829) 110 INCH BBC STEEL CONVENTIONAL CAB
Sleeper (682) NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016) RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY
WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

TABLE SUMMARY - DIMENSIONS

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

FRAME RBM

VEHICLE SPECIFICATIONS SUMMARY - FRAME RBM

Wheelbase (545) 4525MM (178 INCH) WHEELBASE
 Frame Rails (546) 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI(546)
 Yield Strength (psi)..... 120000
 Section Modulus (per rail) (cu in).....21.6
 RBM (per rail) (lbf-in).....2590000
 Inner Frame Reinforcement (547)PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION
 Outer Frame Reinforcement (548) . BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW

TABLE SUMMARY - FRAME RBM

Item	Description / Value
Wheelbase	4525MM (178 INCH) WHEELBASE
Frame	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
Inner Frame Reinforcement	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION
Outer Frame Reinforcement	BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW
Yield Strength (psi)	120000
Section Modulus - per rail (cu. in.)	21.60
Frame RBM - per rail (lbf-in)	2592000

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
Frank Ferreira
Town of Pelham
6 Village Green
Pelham, NH 03076
Phone: 603-635-8526

Prepared by:
Reggie Orifice
MCDEVITT TRUCKS INC
1 MACK AVE
MANCHESTER, NH 03103
Phone: 603-621-8324

FRAME SIDE SPACE

VEHICLE SPECIFICATIONS SUMMARY - FRAME SIDE SPACE

Model.....	4700SF
Wheelbase (545)	4525MM (178 INCH) WHEELBASE
Cab Size (829).....	110 INCH BBC STEEL CONVENTIONAL CAB
Sleeper (682).....	NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016).....	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
Frame Side Space LH (in).....	69.135
Frame Side Space RH (in).....	85.903
Battery Box (290).....	BATTERY BOX FRAME MOUNTED
Left-Hand Fuel Tank (204).....	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH
Left-Hand Auxiliary Fuel / Oil Tank(200).....	NO LH AUXILIARY FUEL TANK
Right-Hand Fuel Tank (206).....	NO RH FUEL TANK
Right-Hand Auxiliary Fuel / Oil Tank(201)	NO RH AUXILIARY FUEL TANK
Diesel Exhaust Fluid Tank(23U).....	6 GALLON DIESEL EXHAUST FLUID TANK
Rear Fenders(583).....	NO REAR QUARTER FENDERS
Hydraulic Tank (203).....	NO HYDRAULIC OIL TANK

TABLE SUMMARY - FRAME SIDE SPACE

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Dimensions (Left Side)	Inches
Max CP - Maximum value of all Cab Protrusions	3.0
Bumper to chassis zero dimension	27.9
First front axle to chassis zero dimension	25.4
Bumper to Centerline of Front Axle (BA)	53.3
Wheelbase (WB)	178.0
Frame Overhang (OH)	37.0
Overall Length (OAL)	268.3
Length of Front Tire Unladen Radius (UR)	21.4
Length of Rear Tire Unladen Radius (UR)	21.4
Length Rear Axle Spacing factor	0.0
Pusher Axle Spacing	0.0
Length of Pusher Tire Unladen Radius (UR)	0.0
Frame Space Left Side	69.1
Side Step Left Side	0.0
Exhaust Left Side	0.0
Urea Tank Left Side	5.9
Battery Box Left Side	16.0
Fuel Tank Left Side	32.5
Hydraulic Tank Left Side	0.0
Aux1 Tank Left Side	0.0
Aux2 Tank Left Side	0.0
StoreBox1 Tank Left Side	0.0
StoreBox2 Tank Left Side	0.0
Frame Step Left Side	0.0
Fender Left Side	0.0
Other1 Left Side	15.2
Other2 Left Side	0.0
Adj Left Side	0.0

Prepared for:
 Frank Ferreira
 Town of Pelham
 6 Village Green
 Pelham, NH 03076
 Phone: 603-635-8526

Prepared by:
 Reggie Orifice
 MCDEVITT TRUCKS INC
 1 MACK AVE
 MANCHESTER, NH 03103
 Phone: 603-621-8324

Dimensions (Right Side)	Inches
Max CP - Maximum value of all Cab Protrusions	3.0
Bumper to chassis zero dimension	27.9
First front axle to chassis zero dimension	25.4
Bumper to Centerline of Front Axle (BA)	53.3
Wheelbase (WB)	178.0
Frame Overhang (OH)	37.0
Overall Length (OAL)	268.3
Length of Front Tire Unladen Radius (UR)	21.4
Length of Rear Tire Unladen Radius (UR)	21.4
Length Rear Axle Spacing factor	0.0
Pusher Axle Spacing	0.0
Length of Pusher Tire Unladen Radius (UR)	0.0
Frame Space Right Side	85.9
Side Step Right Side	0.0
Exhaust Right Side	37.6
Urea Tank Right Side	0.0
Battery Box Right Side	0.0
Fuel Tank Right Side	0.0
Hydraulic Tank Right Side	0.0
Aux1 Tank Right Side	0.0
Aux2 Tank Right Side	0.0
StoreBox1 Tank Right Side	0.0
StoreBox2 Tank Right Side	0.0
Frame Step Right Side	0.0
Fender Right Side	0.0
Other1 Right Side	0.0
Other2 Right Side	0.0
Adj Right Side	0.0

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



Base Warranty and Extended Coverage Cummins 2013 Engines



Agenda

- Overview of 2013 Extended Coverage
- Medium Duty
 - Base Warranty
 - Extended Coverage for Engine and Aftertreatment
 - Terms and Pricing

Better Coverage

- Protection from unexpected repair costs
 - Reduces variability and risk in budget planning
 - Helps plan maintenance and repair budgets
- Same dependable coverage options
 - No new coverage plans to learn
 - Familiar choices
- Comprehensive coverage plans
 - Easy to understand what is covered
 - Multiple terms to choose from, allows for customization based on application

Additional Components for 2013 Engines

Protection Plan 1

- Fuel Pump
- Air Compressor
- Select Engine Sensors:
 - Intake Manifold Pressure
 - Coolant Temperature Sensor
 - Engine Position Sensor
 - Oil Pressure/Temperature Sensor
 - EGR Temperature Sensor
 - Turbocharger Speed Sensor
 - Exhaust Pressure Sensor
 - Water-In-Fuel Sensor
 - Fuel Pressure Sensors
 - Ambient Air Pressure Sensor
 - Intake Manifold Pressure/Temperature Sensor
 - Camshaft Positions Sensor
 - Crankcase Breather Sensor

ISL9






Pricing for MidRange

2010 Engine Model	2013 Engine Model	2013 Pricing
ISC8.3	ISL9	Same as ISC8.3 2010
ISL9		

ISL9




2013 Medium Duty Truck Base Warranty and Extended Coverage



ISL9 Base Warranty

- ISL9- 2 Years / 250,000 Miles (402,336 kilometers)
- 100% parts and labor on warrantable failures*
- Travel or towing when an engine is disabled by a warrantable failure
- Limited progressive damage, including aftertreatment
- ALL with no deductible




ISL9



* Warrantable failures are those due to defects in Cummins material or factory workmanship

Extended Coverage

ISL9



ISL9



Medium Duty Extended Coverage Protection Plan 1

- **Terms Range from 3 to 5 Years**
 - With 100,000 to 300,000 Miles (160,934-482,803 km)
- **Coverage Includes:**
 - Select engine sensors
 - Internal components and major engine systems plus:
 - Turbocharger
 - Water Pump
 - Fuel Injectors
 - Air Compressor
 - Fuel Pump
 - Registered parts and labor on covered failures
 - Limited progressive damage



**Protection
Plan 1**

2013 Medium Duty Truck Extended Coverage Terms and Pricing


ISL9

Program ID	Terms	Suggested Pricing for Dealers
DC1	3 Years /100,000 Miles	\$1,300
DC1	3 Years / 150,000 Miles	\$1,800
DC1	4 Years / 150,000 Miles	\$2,125
DC1	4 Years / 200,000 Miles	\$2,950
DC1	5 Years / 100,000 Miles	\$2,050
DC1	5Years / 150,000 Miles	\$2,600
DC1	5 Years / 200,000 Miles	\$3,500
DC1	5 Years / 250,000 Miles	\$4,550
DC1	5 Years / 300,000 Miles	\$5,700



Medium Duty Extended Coverage Protection Plan 2

- Terms range from 3 to 7 years
 - With 100,000 to 300,000 Miles (160,934-482,803 km)
- Provides coverage against major repair expenses
 - Internal components and major engine systems
 - Registered parts and labor on covered failures
 - Limited progressive damage



Protection Plan 2

2013 Medium Duty Truck Extended Coverage Terms and Pricing

ISL9

Program ID	Terms	Suggested Pricing for Dealers
DC2	3 Years / 100,000 Miles	\$1,000
DC2	3 Years / 150,000 Miles	\$1,150
DC2	4 Years / 150,000 Miles	\$1,400
DC2	4 Years / 200,000 Miles	\$1,650
DC2	5 Years / 100,000 Miles	\$1,300
DC2	5Years / 150,000 Miles	\$1,550
DC2	5 Years / 200,000 Miles	\$1,800
DC2	5 Years / 250,000 Miles	\$2,050
DC2	5 Years / 300,000 Miles	\$2,300
DC2	6 Years / 250,000 Miles	\$2,200
DC2	7 Years / 250,000 Miles	\$2,450



Medium Duty Aftertreatment Extended Coverage

- Terms range from 3 to 5 years
 - With 100,000 to 300,000 Miles (160,934-482,803 km)
- Protection including:
 - Diesel Oxidation Catalyst (DOC), Diesel Particulate Filter (DPF) and SCR Assemblies
 - Diesel Exhaust Fluid (DEF) dosing system
 - Aftertreatment Controls
 - Ammonia Sensor*

* New Component for 2013 Aftertreatment Extended Coverage



Aftertreatment Plan

2013 Medium Duty Truck Extended Coverage Terms and Pricing

ISL9

Program ID	Terms	Suggested Dealer Pricing*
AT3	3 Years / 100,000 Miles	\$300
AT3	3 Years / 150,000 Miles	\$450
AT3	4 Years / 150,000 Miles	\$500
AT3	4 Years / 200,000 Miles	\$700
AT3	5 Years / 100,000 Miles	\$500
AT3	5Years / 150,000 Miles	\$600
AT3	5 Years / 200,000 Miles	\$800
AT3	5 Years / 250,000 Miles	\$1,050
AT3	5 Years / 300,000 Miles	\$1,300

* Protection Plan 1 must be purchased in order to purchase Aftertreatment Plan 1

* Aftertreatment pricing is in addition to Protection Plan 1 Pricing



Additional Information

- For a complete list of covered components, please consult the appropriate legal bulletin, or contact your Cummins Distributor.



Appendix



SCR Assembly	AT3 Aftertreatment Coverage	DC1 Protection Plan 1	DC2 Protection Plan 2
Aftertreatment Injector			
Decomposition Reactor	AT3 Aftertreatment Coverage	DC1 Protection Plan 1	DC2 Protection Plan 2
Mid-Bed Ammonia Sensor			
DPF Assembly			
Hydrocarbon Doser System			
Fuel Pump			
Air Compressor			
Select Engine Sensors			
Water Pump			
Turbo			
Fuel Injectors			
EGR Cooler, EGR Valve, EGR Mixer (if applicable)			
Cylinder Head Assembly			
ECM			
Piston, Rings and Liners			
Lube Oil Cooler Assembly			
Cylinder Block Assembly			
Crankshaft Assembly			
Front Gear Cover			
Oil Pan			
Connecting Rod Assembly			
Lube Pump Assembly			
Camshaft Assembly and Bushings			
Brake Housing, Bushing, Rocker Levers, Roller Pin, Roller,			
Crosshead Pin, Crosshead			
Including Mounting Hardware & Gaskets			
Cylinder Block Casting			
Main Bearing Bolts			
Cylinder Head Casting			
Cylinder Head Capscrews			
Crankshaft Forging			
Camshaft Forging			
Cam Follower Housing			
Cam Follower Assemblies			
Connecting Rods & Caps			
Connecting Rod Bolts			
Intake Manifold Casting			
Rocker Level Housing			
Rocker Lever Assembly			
Gear Train Gears			

**Protection
Plan 1**

2013 Medium Duty Truck Extended Coverage Terms and Pricing

ISL9

Program ID	Terms	Suggested Pricing for Dealers
DC1	3 Years / 160,934 km	\$1,300
DC1	3 Years / 241402 km	\$1,800
DC1	4 Years / 241402 km	\$2,125
DC1	4 Years / 321,868 km	\$2,950
DC1	5 Years / 160,934 km	\$2,050
DC1	5Years / 241402 km	\$2,600
DC1	5 Years / 321868 km	\$3,500
DC1	5 Years / 402,336 km	\$4,550
DC1	5 Years / 482,803 km	\$5,700



Protection
Plan 1

2013 Medium Duty Truck Extended Coverage Terms and Pricing

ISL9

Program ID	Terms	Suggested Pricing for Dealers
DC1	3 Years / 160,934 km	\$1,300
DC1	3 Years / 241402 km	\$1,800
DC1	4 Years / 241402 km	\$2,125
DC1	4 Years / 321,868 km	\$2,950
DC1	5 Years / 160,934 km	\$2,050
DC1	5 Years / 241402 km	\$2,600
DC1	5 Years / 321868 km	\$3,500
DC1	5 Years / 402,336 km	\$4,550
DC1	5 Years / 482,803 km	\$5,700



SCR Assembly	AT3 Aftertreatment Coverage	DC1 Protection Plan 1	DC2 Protection Plan 2
Aftertreatment Injector			
Decomposition Reactor	DC1 Protection Plan 1	DC2 Protection Plan 2	DC2 Protection Plan 2
Mid-Bed Ammonia Sensor			
DPF Assembly			
Hydrocarbon Doser System			
Fuel Pump			
Air Compressor			
Select Engine Sensors			
Water Pump			
Turbo			
Fuel Injectors			
EGR Cooler, EGR Valve, EGR Mixer (if applicable)			
Cylinder Head Assembly			
ECM			
Piston, Rings and Liners			
Lube Oil Cooler Assembly			
Cylinder Block Assembly			
Crankshaft Assembly			
Front Gear Cover			
Oil Pan			
Connecting Rod Assembly			
Lube Pump Assembly			
Camshaft Assembly and Bushings			
Brake Housing, Bushing, Rocker Levers, Roller Pin, Roller,			
Crosshead Pin, Crosshead			
Including Mounting Hardware & Gaskets			
Cylinder Block Casting			
Main Bearing Bolts			
Cylinder Head Casting			
Cylinder Head Capscrews			
Crankshaft Forging			
Camshaft Forging			
Cam Follower Housing			
Cam Follower Assemblies			
Connecting Rods & Caps			
Connecting Rod Bolts			
Intake Manifold Casting			
Rocker Level Housing			
Rocker Lever Assembly			
Gear Train Gears			

Extended Coverage Time to Register Guidelines

- 2013 Time to Register Guidelines:
 - 0 – 365 Days: No Admin Fee
 - 366 – 545 Days : \$400 Admin Fee
 - OR 200,000 Miles,
 - OR Engine Base Warranty, whichever occurs first
 - After 545 Days : NO Registration
- Administrative fees are per coverage certificate, per engine.

