



# TOWN OF PELHAM

6 Village Green  
Pelham, New Hampshire 03076-3723

## TOWN OF PELHAM, NEW HAMPSHIRE BUILDING DEPARTMENT

Memo To: **Plumbing Contractors**

Memo From: **Roland Soucy, Building & Plumbing Inspector**

---

All persons requesting plumbing permits must present a valid Master Plumbing License. The permit application must be filled out completely and place phone number where they can be reached.

All inspection requests must be called into the Planning/Building Department at (603) 635-7811 and must be requested **by the Plumber** who drew the permit. The inspector has 48 hours to perform the inspection.

Upon calling for ROUGH plumbing inspection, be prepared for a water or air test on the drainage and water pipe systems. Upon calling for FINAL plumbing inspection, all fixtures must be installed, and domestic hot water temperatures must be properly set.

### **PLEASE NOTE:**

2018 International Plumbing Code & Mechanical Code adopted.

PVC piping is permitted through the foundation wall provided it is properly sleeved and extra care is given to ensure that a watertight seal is made where the pipe penetrates the foundation wall.

Minimum size vent through roof is 3", any increase in size shall be made inside, 12" below roof.

All whirlpools shall have a removable access panel to service its pump.

A water closet or bidet shall not be set closer than 15" from its center to and side wall, vanity or other construction.

All plumbing permits are valid for a one (1) year period.